


DYNAMIK



Gym & Fitness Flooring





DYNAMIK offer a full range of gym flooring, weights and fitness surfaces on a direct, supply-only basis, and are able to meet a clients' specific performance and budget criteria.

Complimenting our gym and fitness flooring, DYNAMIK supply track, sprung, dance and multi-use surfaces.

DYNAMIK are leading British manufacturers and suppliers of world-class sports surfaces, and are proud to supply surfaces into many of the UK's top sporting and leisure facilities.

Official Sports Flooring Partners



| Our Gym & Fitness Surfaces

- Sound and Shock Absorption
- Comfort and User Protection
- Available in a Range of Colours
- Large Supply of UK Stock
- Complies with Design for Disassembly (DfD) Principles
- High Durability
- High Impact Resistance
- Easy to Clean
- Free Samples Available
- Adhesive Free Installation



Multi-Flex


Interlocking Range 20/30/40/70

DYNAMIK's Multi-Flex interlocking premium rubber tiles are perfectly suited for fitness suites and home gyms with weight training and CrossFit areas. The tiles are designed and engineered to be easily and quickly installed, providing clients with maximum comfort, durability and functionality.

Our Multi-Flex tiles provide a premium bevelled edge with interlocking connection and a smooth, easy to clean, surface. The tiles also offer exceptional resilience and comfort and can be complemented with straight edge ramps and corners.

Colour Chart

Multi-Flex is available in the below standard fleck colours.



Dark Grey



Blue



Light Grey



Red

Dimensions

Multi-Flex 20

- Tile Thickness: 20mm
- Tile Dimensions: 500mm x 500mm

Multi-Flex 40

- Tile Thickness: 40mm
- Tile Dimensions: 500mm x 500mm

Multi-Flex 30

- Tile Thickness: 30mm
- Tile Dimensions: 500mm x 500mm



Multi-Flex 70


- Tile Thickness: 70mm
- Tile Dimensions: 500mm x 500mm

Multi-Flex Benefits

- ✓ Eco-friendly - recycled rubber
- ✓ Superior sound and shock absorption
- ✓ Flexible systems allows easy re-purposing of areas

- ✓ Smooth, easy-to-clean surface
- ✓ No adhesive contamination of the subfloor
- ✓ High levels of user comfort






| GT 15/25/40


Product Range



15mm Thickness
1000mm x 1000mm




25mm Thickness
1000mm x 1000mm




40mm Thickness
1000mm x 1000mm


| Colour Chart



Black Coarse



Grey Fine



Black Fine

| GT Benefits

- 15mm and 25mm tiles – suitable for free weights, and cross-fit areas. High durability, excellent shock absorption and impact sound isolation
- Can be combined with our Shock Pad (SP) range

- 40mm tiles – designed for heavy weight lifting areas. High shock absorption helps protect subfloors from barbell weight-lifting and offers increased levels of impact sound insulation

- Provides a safe exercise platform


Zone-Flex 8/10

Dovetail Rubber Tile

The DYNAMIK Zone-Flex Premium Dovetail Rubber Tile is perfectly suited where impact resistance, vibration and noise control are required within fitness, gym and training facilities. Zone-Flex is designed and engineered to be easy to clean and to maximise durability, functionality and visual appearance. This product is an excellent choice for functional, multi-use zones, which require a loose-laid, adhesive-free tile, perfect for temporary or permanent installations. These tiles can also be complemented with edging strips for a smoother look and cleaner finish.

Colour Chart


Zone-Flex is available in the below standard fleck colours.



Blue



Light Grey



Dark Grey



Red

Dimensions

Zone-Flex 8

Tile Thickness: 8mm

Tile Dimensions: 1000mm x 1000mm

Tile Coverage: 0.96 sqm

Zone-Flex 10

Tile Thickness: 10mm

Tile Dimensions: 1000mm x 1000mm

Tile Coverage: 0.96 sqm

Zone-Flex Benefits

- ✓ Close-fitting interlocking design
- ✓ Good grip with sure-footing
- ✓ Attractive colour fleck surface

- ✓ High indentation resistance
- ✓ Smooth, easy-to clean surface
- ✓ Adhesive-free, quick installation



| Shock Pad 15/30

Product Range

SP15/30 shock pad products have been developed to provide effective impact absorption from dropping free weights and to improve impact sound insulation. Can be used as a shock pad below other ranges.




| Shock Pad Benefits

- ✓ Enhances sub-base protection
- ✓ Impact absorption
- ✓ Comfort & performance
- ✓ Improved acoustic performance

Sled Track

Sled tracks support a variety of strength, speed, and endurance exercises, including sled pulls, functional training, plyometrics, and HIIT. With an interlocking adhesive-free design and the ability to be easily moved or adjusted, our sled tracks offer a durable and flexible solution for any gym looking to adapt to evolving fitness trends.

Colour Options



Green



Blue



Black

Sled Track Interlocking Tile

Please contact for more details.



| Official Sports Flooring Partners



| Supply Partners:

Tarkett

HARO
Sports Flooring

MONDO

HERCULAN

ASB GlassFloor

ASBSQUASH

Bona[®]

| Members of

SFG
Sports Facilities Group

NBS Source

SAPCA

0117 301 5120
info@dynamiksport.co.uk
www.dynamiksportsfloors.co.uk

DYNAMIK